STERIGENIX

# CERTIFICATE OF ANALYSIS

REPORT # RPT-2026[redacted]

**Client** Pure Excellence Peptides **Analyzed** 08/12/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

## SAMPLE INFORMATION

| | |
|---|---|
| Product | Adamax |
| Form | Lyophilized |
| Batch | SGX-SW-2026[redacted] |
| Labeled Qty | 10MG |
| Mol. Formula | C50H69N11O11S |
| CAS Number | N/A |
| Cap Color | Pink |
| Crimp Color | Silver |
| Appearance | White Powder |

## TEST RESULTS

| | REFERENCE STANDARD | RESULT | |
|---|---|---|---|
| Identity Confirmation (LC-MS) | Adamax | **Adamax** | ✓ |
| Batch Avg Purity (HPLC) | (>98%) | **99.68** | ✓ |
| Net Peptide Content | 10MG ± 10% | **10.08** | ✓ |

## HEAVY METAL SCREENING


No data.

## BATCH CONFORMITY RESULTS

No data.

## HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · ADAMAX (1032) PINK CAP — DETECTOR: UV 214 NM · 08/12/2026




## SAMPLE PHOTOS

NO SAMPLE PHOTO ON FILE

AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY CHECK

*Dr. R. Caldwell*

ANALYST
ID: AN-3271

*Dr. P. Andersen*

QC REVIEWER
ID: QR-5418

*Dr. H. Whitman*

QA DIRECTOR
ID: QA-1090

sterigenixanalytical.com/verify

Report#: RPT-2026

Access Code: